



Model Code F2003

date of issue 02-11-10 revision 00
revision of 27-10-21 (the present replaces any previous versions)

Designer: CSI

Structure: pinewood and multilayer covered with polyurethane foam. Outer frame in metal with shiny finish. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval.

Spring system: elastic webbing.

Seat Padding: ecologic polyurethane foam covered with 100% polyester layer.

Back Padding: ecologic polyurethane foam covered with 100% polyester layer.

Arm Interior: ecologic polyurethane foam insert supported by a metal frame.

Removability: not available.

Please note: multicovering available only on version "_a".

Density of seat and back

Markets	Seat	Back
I	35 Medium	30
D - NL - CH	35 hard	30 hard
USA - California		
GB	35 fire retardant	25 fire retardant
Others	35 Medium	30

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

Coverings

	suggested	not suggested	not possible
thick leathers		✓	
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			✓
DeLuxe			✓
multi colour			✓
multi-category			
multi covering	✓		

Please note: for not removable models, only one colour fabric covers are available.

* fabrics and microfibers are not available for the U.K. market

Multicovering available only on version "_a": 1st covering in leather: upper and front side of the backrest, upper side of the seat cushion, armrest insert; 2nd covering in fabric: lumbar support, backside and bottom side of the seat cushion.

Multicovering / Components / Optional vers.

--	--	--

Feet

--	--	--

Ottoman

--	--	--

With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.




↑ fold following the dotted line ↑

sandy.cal 791



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 69
H83 D84 SH44 SD56

L 69
H83 D84 SH44 SD56

version code

100

803

Description

chair

chair_a

↓ fold following the dotted line ↓



Model Code F2003

date of issue 02-11-10
revision 00 of 27-10-21
(the present replaces any previous versions)

Multicolor (different colors belonging to the same material) YES NO

Multicover (combination of different materials) YES NO

1st color SPLIT LEATHER FABRIC MICROFIBER

2nd color SPLIT LEATHER FABRIC MICROFIBER

3rd color SPLIT LEATHER FABRIC MICROFIBER

1st cover SPLIT LEATHER FABRIC MICROFIBER

2nd cover SPLIT LEATHER FABRIC MICROFIBER

3rd cover SPLIT LEATHER FABRIC MICROFIBER

Multicategory (different categories belonging to the same material) YES NO

VER. 803

